## In the Claims

The status of claims in the case is as follows:

- 1 1. [Withdrawn] Method for creating and designing
- 2 collaboration space forms, comprising:
- 3 organizing said collaboration space according to an
- 4 object model selectively including place, room, folder,
- page, member, form, field, placetype, roomtype, skin,
- 6 and placebot objects;
- 7 displaying an interface to said place at a client
- 8 browser;
- 9 operating said client browser for creating said form as
- an object of said place; and
- operating said client browser for selecting and
- 12 creating said fields for said form.
- 1 2. [Withdrawn] The method of claim 1, further comprising
- the step responsive to a user request to create said field,
- displaying at said browser a task page together with an edit

- 4 page and fields for all of the material needed to create
- 5 said field.
- 1 3. [Withdrawn] A method for creating forms in a place in
- 2 collaboration space, comprising the steps of:
- 3 creating at a browser a script file containing field
- 4 properties and methods which display and operate on
- 5 said field; and
- 6 generating forms with reference to said field
- 7 properties and methods while generating hypertext links
- 8 on the fly.
- 1 4. [Withdrawn] The method of claim 3, said forms being
- 2 task forms.
- 1 5. [Withdrawn] The method of claim 3, further comprising
- 2 the steps of:
- 3 responsive to a request to create a new page, obtaining
- and displaying to said user a list of possible forms;
- 5 responsive to a user request to create a new form,

- obtaining and displaying to said user fields related to said form and an add field selector;
- responsive to user selection of said add field
  selector, displaying to said user a list of field types
  that can be created;
- responsive to user selection and configuration of each
  fields corresponding to said field types, saving said
  new form; and
- thereafter, responsive to a request to create a new
  page, displaying said new form in said list of possible
  form.
  - 1 6. [Withdrawn] The method of claim 3, further comprising 2 the steps of:
  - providing a task option for defining a task in collaboration space when adding a new field to a form.
  - 7. [Withdrawn] The method of claim 6, said task option
    providing for specification of task criteria including start
    date, whether said task will have a priority or category,

- 4 and a default value for priority.
- 1 8. [Withdrawn] The method of claim 3, further comprising
- the steps of storing at a server client code for creation of
- fields, and responsive to user selection of field creation
- 4 sending said client code as a page containing script code
- for generating html for execution at said client.
- 9. [Withdrawn] The method of claim 7, said task criteria
- specifying that a task page be viewed as a timeline, with
- options for refining said timeline display for a variety of
- 4 time scales.
- 1 10. [Withdrawn] The method of claim 9, said task criteria
- 2 specifying that a task page be viewed in list mode.
- 1 11. [Withdrawn] A method for defining forms to create
- 2 pages within collaboration space, comprising the steps of:
- 3 executing one of three options to create a form, said
- 4 options being:
- 5 creating a form using field objects from said
- 6 collaboration space;

7	importing a form created in legacy text editor;
8	and
9	importing a form created in an html editor;
10	providing in each said option methods for uploading a
11	document and sending a notification, adding a method to
12	a calendar, and adding a task to a place in said space.
1	12. [Withdrawn] The method of claim 11, said legacy text
2	editor being Microsoft Word.
1	13. [Currently amended] A method for adapting a computer
2	generated instantiation of collaboration space at a user
3	terminal interface to said collaboration space to reflect
4	workflow, comprising the step the steps of:

responsive to request by a client browser user at an interface said interface to said collaboration space to use a form to create a page create a form from which pages may be created and published in said collaboration space, providing an options page including work flow options selectable by said user for specifying workflow options for pages created using

12	said form, said options including:
10	
13	no special workflow <u>page publication option</u> ,
14	specifying that pages may be published by said
15	user a user creating said page;
16	simple submit page publication option, specifying
17	that pages may be created and submitted created by
18	said user are posted to a project milestones
19	<pre>folder;</pre>
20	editor page publication option, specifying that
21	pages created by said user will only be published
22	after being approved by an editor;
23	approval cycle page publication option, specifying
24	that each page is to be routed through a series of
25	members of a place in a specific order <u>before</u>
26	<pre>being published;</pre>
27	multiple editors page publication option,
28	specifying that pages created by an author can,
29	once published, be further edited by any of the
30	authors author in a room in said collaboration

31		space.
1	14.	[Currently amended] A method for creating pages in <u>a</u>
2	compu	ter generated instantiation of collaboration space of a
3	<u>team</u>	including members, comprising the steps of:
4		at a client browser providing a user interface to said
5		collaboration space;
6		responsive to a <del>user request</del> <u>request entered at said</u>
7		browser by a member of said team to create a new form
8		integrated into workflow of said collaboration space,
9		displaying an add fields panel including a task field;
10		responsive to user selection of said task field,
11		providing input fields for said user said member to
12		enter task name, start date, priority;
13		specifying that pages created from said form shall be
14		processed selectively by one of no special workflow,
15		simple submit, editor-in-chief, approval cycle, and
16		multiple editor publication procedures;

18	providing that pages created from said form are
19	published by a member creating said page;
20	said simple submit publication procedure providing that
21	pages created from said form are posted to a project
22	milestones folder;
23	said editor-in-chief publication procedure providing
24	that pages created from said form are published upon
25	approval by a specific member of said team;
26	said approval cycle publication procedure providing
27	that pages created from said form are routed through a
28	plurality of members of said team in specific order
29	before being published;
30	said multiple editor publication procedure providing
31	that pages created from said form may be further edited
32	by an member of said team granted author authorization;
33	<u>and</u>
34	thereafter, allowing users to create pages based on
35	said form by selecting said form from a list of
36	available forms.

- 1 15. [Withdrawn] A system for creating and designing
- 2 collaboration space forms, comprising:
- 3 said collaboration space being structured according to
- an object model selectively including place, room,
- folder, page, member, form, field, placetype, roomtype,
- skin, and placebot objects;
- 7 a client browser for displaying an interface to said
- 8 place;
- a create form panel for creating from client browser
- said form as an object of said place by selecting and
- 11 creating said fields for said form.
  - 1 16. [Withdrawn] A system for creating forms in a place in
  - 2 collaboration space, comprising:
  - a browser at a client for creating a script file
  - 4 containing field properties and methods which display
  - 5 and operate on said field; and
  - 6 means for generating forms with reference to said field
  - 7 properties and methods while generating hypertext links

- 8 on the fly.
- 1 17. [Withdrawn] A system for defining forms to create
- 2 pages within collaboration space, comprising:
- 3 means for executing one of three options to create a
- form, said options being:
- 5 creating a form using field objects from said
- 6 collaboration space;
- importing a form created in legacy text editor;
- 8 and
- 9 importing a form created in an html editor;
- 10 means for providing in each said option methods for
- uploading a document and sending a notification, adding
- a method to a calendar, and adding a task to a place in
- 13 said space.
- 1 18. [Currently amended] A system for creating pages in
- collaboration space, comprising:

3	a client browser for providing a user interface to said
4	collaboration space;
5	an add field panel responsive to a user request to
6	create a new form for displaying an add fields panel
7	including a task field;
8	input fields responsive to user selection of said task
9	field for providing receiving task criteria from said
10	user for integrating said new form into workflow of
11	team members of said collaboration space by specifying
12	that pages created from said new form shall be
13	processed selectively by one of no special workflow,
14	simple submit, editor-in-chief, approval cycle, and
15	multiple editor publication procedures;
16	said no special workflow publication procedure
17	providing that pages created from said new form are
18	published by a member creating said page;
19	said simple submit publication procedure providing that
20	pages created from said new form are posted to a
21	<pre>project milestones folder;</pre>

22	said editor-in-chief publication procedure providing
23	that pages created from said new form are published
24	upon approval by a specific member of said team;
25	said approval cycle publication procedure providing
26	that pages created from said new form are routed
27	through a plurality of members of said team in specific
28	order before being published;
•	
29	said multiple editor publication procedure providing
30	that pages created from said new form may be further
31	edited by an member of said team granted author
32	authorization; and
33	said add field panel thereafter for allowing other
34	users to create pages based on said form by selecting
35	said form from a list of available forms.
1	19. [Withdrawn] A program storage device readable by a
2	machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for creating
4	and designing collaboration space forms, said method steps
5	comprising:

- 6 organizing said collaboration space according to an
- object model selectively including place, room, folder,
- page, member, form, field, placetype, roomtype, skin,
- 9 and placebot objects;
- displaying an interface to said place at a client
- 11 browser;
- 12 operating said client browser for creating said form as
- an object of said place; and
- operating said client browser for selecting and
- 15 creating said fields for said form.
  - 1 20. [Currently amended] A program storage device readable
  - by a machine, tangibly embodying a program of instructions
  - 3 executable by a machine to perform method steps for creating
  - 4 forms <u>and pages from said forms</u> in a place in collaboration
  - 5 space, said method steps comprising:
  - 6 creating at a browser a script file containing field
  - 7 properties and methods which display and operating
  - 8 <u>operate</u> on said field; [[and]]

9	generating forms with reference to said field
10	properties and methods while generating hypertext links
11	on the fly to integrate said form into the workflow of
12	said collaboration space by specifying that pages
13	created from said forms are to be processed selectively
14	by one of no special workflow, simple submit, editor-
15	in-chief, approval cycle, and multiple editor
16	publication procedures;
17	said no special workflow publication procedure
18	providing that pages created from said new form are
19	published by a member creating said page;
20	said simple submit publication procedure providing that
21	pages created from said new form are posted to a
22	<pre>project milestones folder;</pre>
23	said editor-in-chief publication procedure providing
24	that pages created from said new form are published
25	upon approval by a specific member of said team;
26	said approval cycle publication procedure providing
27	that pages created from said new form are routed

29	order before being published; and
30	said multiple editor publication procedure providing
31	that pages created from said new form may be further
32	edited by an member of said team granted author
33	authorization.
1	21. [Withdrawn] A program storage device readable by a
2	machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for defining
4	forms to create pages within collaboration space, said
5	method steps comprising:
6	executing one of three options to create a form, said
7	options being:
8	creating a form using field objects from said
9	collaboration space;
10	importing a form created in legacy text editor;
11	and

13	providing in each said option methods for uploading a
14	document and sending a notification, adding a method to
15	a calendar, and adding a task to a place in said space.
1	22. [Currently amended] A program storage device readable
2	by a machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for adapting
4	a computer generated instantiation of collaboration space at
5	a user terminal interface to said collaboration space to
6	reflect workflow, said method steps comprising:
7	responsive to request by a client browser user at <del>an</del>
8	interface said interface to said collaboration space to
9	use a form to create a page create a form from which
10	pages may be created and published in said
11	collaboration space, providing an options page
12	including work flow options selectable by said user for
13	specifying workflow options for pages created using
14	said form, said options including:

no special workflow <u>page publication option</u>,

specifying that pages may be published by <del>said</del>

<del>user</del> <u>a user creating said page</u>;

18

19	simple submit page publication option, specifying
20	that pages may be created and submitted created by
21	said user are posted to a project milestones
22	<pre>folder;</pre>
23	editor page publication option, specifying that
24	pages created by said user will only be published
25	after being approved by an editor;
26	approval cycle page publication option, specifying
27	that each page is to <u>be</u> routed through a series of
28	members of a place in a specific order <u>before</u>
29	being published; and
30	multiple editors page publication option,
31	specifying that pages created by an author can,
32	once published, be further edited by any of the
33	authors author in a room in said collaboration
34	space.
1	23. [Withdrawn] A program storage device readable by a
2	machine, tangibly embodying a program of instructions
3	executable by a machine to perform method steps for creating

pages in collaboration space, said method steps comprising:

- 5 at a client browser providing a user interface to said
- 6 collaboration space;
- 7 responsive to a user request to create a new form,
- 8 displaying an add fields panel including a task field;
- 9 responsive to user selection of said task field,
- 10 providing input fields for said user to enter task
- 11 name, start date, priority;
- thereafter, allowing other users to create pages based
- on said form by selecting said form from a list of
- 14 available forms.
  - 1 24. [Withdrawn] A computer program product or computer
  - 2 program element for creating pages in collaboration space
  - according to steps comprising:
  - 4 at a client browser providing a user interface to said
  - 5 collaboration space;
  - 6 responsive to a user request to create a new form,
  - 7 displaying an add fields panel including a task field;

- 8 responsive to user selection of said task field,
- 9 providing input fields for said user to enter task
- name, start date, priority;
- 11 thereafter, allowing users to create pages based on
- said form by selecting said form from a list of
- available forms.
- 1 25. [Withdrawn] A computer program product for creating
- forms in a place in collaboration space according to method
- 3 steps comprising:
- 4 creating at a browser a script file containing field
- 5 properties and methods which display and operating on
- 6 said field; and
- 7 generating forms with reference to said field
- 8 properties and methods while generating hypertext links
- 9 on the fly.